

LINK EXTRACTORS

Our link extractors encompass the largest range on the market with metric, imperial, B.A. and Whitworth gauges all represented



Choice of screwdriver or T-handle styles

Precision-engineered extraction threads in both male and female configurations

Fully insulated for maximum protection



02520 3/8" Whitworth Male T Handle Link Extractor

LINK EXT

SCREWDRIVER HANDLE FEMALE THREAD

CODE	DESCRIPTION
02410	1/4" Whitworth
02420	5/16" Whitworth
02430	3/8" Whitworth
02440	1/2" Whitworth
02450	8mm
03132	10mm
03133	12mm
02470	1/4" BSF Whitworth
02480	5/16" BSF Whitworth
02490	3/8" BSF Whitworth
02500	1/2" BSF Whitworth
02460	1/2" Whitworth Left Hand Thread

SCREWDRIVER HANDLE MALE THREAD

CODE	DESCRIPTION
02350	3/16" Whitworth
02360	1/4" Whitworth
02370	5/16" Whitworth
02380	3/8" Whitworth
02390	8mm
03130	10mm
03131	12mm



'T' HANDLE FEMALE THREAD

CODE	DESCRIPTION
02550	3/8" Whitworth
02560	1/2" Whitworth
02570	1/2" BSF Whitworth
02580	1/2" Whitworth Left Hand Thread


'T' HANDLE MALE THREAD

CODE	DESCRIPTION
02515	1/4" Whitworth
02520	5/16" Whitworth
02530	1/2" Whitworth
02540	8mm
02541	10mm



TRACTORS

SPECIAL LINK EXTRACTORS



RETRACTABLE COMBINATION

CODE	DESCRIPTION
02505	Combination Link Extractor Screwdriver 1/2" Female / Flat Screwdriver 10mm x 1.6mm
02506	Combination Male/Female Link Extractor 1/2" BSF Female x 1/4" Whitworth Male

SPECIAL APPLICATIONS

CODE	DESCRIPTION
01859	Wago Link Extractor
02381	3/8" Whitworth Link Extractor with Screwdriver Tip
02400	3/16" Square End Male Link Extractor
01272	Link Box Thumb Screwdriver

